

Instruments with capillary and diaphragm seal

Instruments with capillary

Date: June 2019

Sheet No.: 1-1002 GB



Instruments with capillary and diaphragm seal

- Capillary in AISI 316
- Up to 12 meter capillary
- Protective armor

Application

TEMPRESS instruments with diaphragm seals, pressure gauges and pressure transmitters, can be equipped with capillary. This makes it possible to mount the diaphragm seal on the optimum measuring point, while the instrument is placed, where it is visible and easily can be read. Though ambient environment, high ambient temperature etc. often requires that the measuring instrument is removed from the measuring point. Instruments with capillary are as standard powerful damped (due to the capillary).

Specifications

Specifications	
Type	Capillary
Capillary	Ø2,5 mm
Material, capillary	AISI316
Material, protective armor	AISI316
Max. length versus pressure	.
2..... 3,999 bar	1 meter
4..... 5,999 –	2 –
6..... 7,999 –	3 –
8..... 11,999 –	4 –
12... 25,999 –	6 –
26... 1600 –	12 –
Length	.
≤ 10 meter	Available in 0,5 meter
≥ 10 –	Available in 1,0 meter
Transmission liquid	See datasheet for diaphragm seals
Media and ambient temperature	See datasheet for diaphragm seals
Damping	Powerfull

TEMPRESS reserves the right to changes without notice

TEMPRESS DATASHEET

Agent/Dealer:



TEMPRESS

Sønderskovvej 10, DK-8362 Høring.
Phone: 8932 5200
E-mail: sales@tempress.dk